

VCSMART

10×30 CELLARTO WP

IMAGE-STABILIZED WATERPROOF BINOCULAR



10_x

MAGNIFICATION

30_{mm}

OBJECTIVE LENS

±2°

STABILIZATION

IPX

WATERPROOF

533_g

BODY WEIGHT

02 OVERVIEW

Steady by instinct.

An ergonomic flat body, a simple slide switch and a pilot lamp shutter make it comfortable to hold and easy to operate - with a protective pouch and neck strap included for effortless carrying.



KEY FEATURES

01

AUTO VIBRATION CONTROL

Detects motion and stabilizes automatically - no manual mode switching.

02

WATERPROOF & FOG-RESISTANT

Sealed body holds up through rain, spray and humid marine conditions.

03

FULLY MULTI-COATED OPTICS

Maximised light transmission for bright, high-contrast images.

04

28-HOUR BATTERY LIFE

One AA battery delivers extended continuous stabilization.

05

ERGONOMIC FLAT DESIGN

Lightweight, slide-switch body built for long, comfortable handling.

"A waterproof, auto-vibration-control binocular for shake-free viewing - from wildlife in the field to live performance from the stands."

03 TECHNICAL SPECIFICATION

Built to spec.

OPTICAL DATA

Magnification	10x
Objective Diameter	30 mm
Prism Type	Roof
Coating	Full Multi-Coating
Angular FOV (Real)	5.2°
Angular FOV (Apparent)	48.8°
Field of View @ 1000 m	90.8 m
Exit Pupil	3 mm
Brightness	9
Eye Relief	15 mm
Close Focus Distance	3.5 m

BODY & BUILD

Compensation Angle	±2°
Waterproof	Yes (IPX Rating)
Exterior Material	ABS Resin
Body Material	Polycarbonate
Dimensions (WxHxD)	147 × 51 × 124 mm
Weight	533 g
Power Source	1x AA Battery
Continuous Stabilization	Up to 28 hrs
Accessories	Case, Strap
Country of Production	Japan

FIELD APPLICATIONS

Birdwatching

Marine

Cultural Events

Sports Watching

Stars Watching

Museums

Travelling



Check here for more info:

www.kenko-tokina.co.in



+91-11-4157-1155



+91-9891593000